



TAYGETA series outdoor lights catch the eye and use their angled housing shape purposefully to illuminate paths, walls and objects on both sides from different angles. Available in two sizes [60 cm and 100 cm], the TAYGETA 1000 is optionally also available with integrated, energy-saving movement and twilight sensor.

Special features

- Base L x W x H: 220 x 90 x 10 mm

Housing Material	Die-cast aluminium
Housing Color	Grey
Material of Lens	Plastic
Protection Class	Protection class I/protective grounding
Rated Input	18 W
Rated Input Voltage Frequency	110-240 V/AC 50 / 60 Hz
Power Supply Unit incl.	Yes
Connection Cable Primary	Yes
Primary Connection	Connection box
Dimmable	No
Motion Detector	Yes
Kind of Motion Detector	Infrared
Detection Distance	1-12 m
Angle of Detection	150 Degree

Working Temperature	-5 to 40 °C
Storage Temperature	-10 to 60 °C
IP Protection Class	IP 54

Life Time L70 / B50	30000 h
Switching Cycles	15000
Power Consumption	18 kWh/1000h
Energy Efficiency Class	G

Light Source	LED, Light source not changeable
Color Temperature	3000 K
Colour Consistency	6 SDCM
Colour Rendering Index (Ra)	80
Rated Luminous Flux	1500 lm
Rated Angle of Reflection	110 Degree
Distribution Characteristic 120°	NDLS

Light Exit Surfaces	2
Light characteristics	Direct
Light direction	Below, Rear

Length	220 mm
Width	148 mm
Height	1000 mm
Base length	220 mm
Base width	90 mm
Base height	10 mm